




PCT/GB2004/200990



INVESTOR IN PEOPLE

**PRIORITY DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH  
RULE 17.1(a) OR (b)

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

*ATZUENS*

Dated 26 March 2004

BEST AVAILABLE COPY

Patents Form 1/77

P: Act 1977  
(Rule 16)

The  
Patent  
Office

28APR03 E802824-13 D00192  
\_P01/7700 0.00-0309465.3

**Request for grant of a patent**

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form))



The Patent Office

Cardiff Road  
Newport  
Gwent NP10 8QQ

1. Your reference

N.88324 - MA

2. Patent application number

(The Patent Office will fill in this part)

0309465.3

25 APR 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

MessageLabs Ltd  
Merchants House  
Love Lane  
Cirencester  
GL7 1YG

Patents ADP number (if you know it)

7936305001

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

4. Title of the invention

A METHOD OF, AND SYSTEM FOR, DETECTING  
MASS MAILING VIRUSES

5. Name of your agent (if you have one)

J A KEMP & CO

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

14 SOUTH SQUARE  
GRAY'S INN  
LONDON WC1R 5JJ

Patents ADP number (if you know it)

26001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request?

YES

(Answer "Yes" if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body:

See note (d))

## Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 6

Claim(s) 3

Abstract 1

Drawing(s) 1 *FI*

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*) 1

Request for preliminary examination and search (*Patents Form 9/77*) 1

Request for substantive examination (*Patents Form 10/77*)

Any other documents -  
(please specify)

11. I/We request the grant of a patent on the basis of this application

Signature *ML S AYERS*

Date 25/04/2003

12. Name and daytime telephone number of person to contact in the United Kingdom M L S AYERS  
020 7405 3292

### Warning

*After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.*

### Notes

a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.

b) Write your answers in capital letters using black ink or you may type them.

c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.

d) If you have answered "Yes" Patents Form 7/77 will need to be filed.

e) Once you have filled in the form you must remember to sign and date it.

f) For details of the fee and ways to pay please contact the Patent Office.

## A METHOD OF, AND SYSTEM FOR DETECTING MASS MAILING VIRUSES

The present invention relates to a method of, and system for, detecting mass mailing viruses.

5           The internet and local- and wide-area networks are susceptible to the exploits of mass mailing viruses. Typically, these viruses involve an email with an executable attachment which, when it executes, causes more virus-containing emails to be created and sent, flooding the network with traffic and its email users with unwanted emails.

10           These mass mailing viruses have become increasingly sophisticated: early forms of them chose the addressees from the name and address book associated with the recipient's email client, while more recent forms use a variety of techniques to gather addresses.

15           As the number of mass mailing viruses has grown, the authors of anti-virus scanning systems have had to enhance their systems to try and keep up with the threat. One tried and tested technique for detecting viruses is "signature scanning", where a file, an executable attachment in the case of email, is scanned for signatures, i.e. sequences, or patterns of sequences, of bytes which have been identified as characteristic of particular viruses. However, signature-based scanning is not particularly effective for dealing with  
20           mass mailing viruses, because the time taken for the virus to do its work and cause copies of itself to be sent is small compared with the time it takes for anti-virus software houses to disseminate updates to their system to deal with it when an outbreak of a new virus occurs. This is particularly a problem where the anti-virus service is being operated on behalf of a large number of users, as may be the case where an ISP (Internet Service Provider) carries  
25           out anti-virus scanning, of email and other files in transit, on behalf of customers as a value-added service.

30           The present invention is based upon an appreciation of the fact that concentrating on executable attachments overlooks a fertile source of viral-indicating information, namely the email itself and operates by carefully considering the whole email, rather than just the attachments.

          According to the present invention, there is provided a method of anti-virus processing an email having one or more executable attachments comprising the steps, executed by a machine, of:

- a) extracting structural elements from the email;

b) examining the executable attachments for code, data or encoded data that could have created the structural elements extracted earlier; and

c) examining signalling that the attachment is possibly viral or not on the basis of the extent to which the examining step b) finds evidence that the structural elements have been created.

5

The invention also provides a system for anti-virus processing an email having an executable attachment comprising the following means, implemented by a machine:

a) means for extracting structural elements from the email;

10

b) means for examining the executable attachments for code, data or encoded data that could have created the structural elements extracted earlier; and

c) means for signalling that the attachment is possibly viral or not on the basis of the extent to which the examining step b) finds evidence that the structural elements have been created by that attachment.

15

The invention will be further described by way of non-limitative example with reference to the accompanying drawing in which:

Figure 1 illustrates one embodiment of system according to the present invention.

20

The system 100 operates on emails arriving at an input 101 and processes each one to signal either at an output 102 that the system regards that email as non-viral or at an output 103 that the system regards it as viral or possibly viral. The system may be operated as a stand-alone system, or as part of a larger anti virus system either as the module with responsibility for processing e-mails or in conjunction with additional sub-systems which apply additional virus-detection heuristics to emails which it has signalled as possibly viral.

25

Most prior virus scanners scan email by taking the email, extracting the attachments, and then scanning them for malware. The system 100, on the other hand, operates on the basis that by carefully considering the email as a whole, rather than just the attachments, it is possible to greatly increase the chances of detecting mass mailing viruses.

30

Each email client creates emails in its own unique way, producing what one might term an email 'fingerprint' which is discernible in emails created by it. By examining the structure of emails it is possible with some certainty to say, for instance, that a particular email was created by Microsoft Outlook, or Lotus Notes, or Eudora. Mass

mailing viruses are also one form of email client, since they generate emails, and they will create emails with a particular fingerprint. By carefully examining the executable attachment and comparing it with the fingerprint of the email it is contained in, it is possible to say with some certainty whether the attachment generated the actual email, and this is a very good sign that the attachment is a mass mailing virus.

The system 100 operates according to the following algorithm:

1) A 'gatherer' 104 takes the email from input 101, and creates fingerprint information about the email structure.

2) An 'extractor' 105 extracts the next attachment from the email. If there are no more attachments left, processing stops.

3) An 'analyser/matcher' 106 analyses the attachment to see if it is likely that the attachment created the email by comparing with the fingerprint information. If it is not likely that the attachment created the email, return to step 2.

4) An 'exception checker' 107 checks for known exceptions. If an exception list match is found, return to step 2.

5) The email is flagged at output 103 as possibly containing a mass mailing virus.

The gatherer 104 parses the email, searching for structural information. For example, this could include (but is not limited to) the following:

- Standard Mime headers created
- Unusual Mime headers created
- Deviations from RFC standards (for example, missing out the final MIME boundary)
- Unusual construct which are legal according to the RFC standards, but which are not generally used by mainstream email clients – eg unusual capitalisation of MIME headers; comment fields used in certain MIME headers where they are not normally used; nested comment fields
- Number of attachments
- Type of attachments
- Encoding method used for attachments
- Text content of the email
- HTML/XHTML content of the email

A simple implementation of the extractor 105 parses the email, presenting attachments in turn to the analyser/matcher 106. This can be improved by recursively analysing compound attachments. For instance, if the attachment is an archive such as a ZIP file, it will extract each file, presenting these in turn to the analyser/matcher 106. If these files are also archives, these will also be extracted in turn and so on until no more extraction can be done. Files packed using packers such as UPX or ASPack can be unpacked. Self-extracting executables can have the files they contain extracted.

The extractor 105 can also have extra logic to detect situations where a malicious attacker tries to attack the system by sending files that extract to extremely large sizes, or that take a very long time to extract.

The analyser/matcher 105 analyses the file to try and determine whether it contains code that creates emails matching the fingerprint created by the gatherer. Each match-type is assigned a certain score. For instance, a match of a particular deviation from an RFC standard may score X, and a match of the text content of the email may score Y.

Scores are added together and if they pass a set value, this is deemed a match.

The analyser/matcher 106 can be incredibly simple. For instance, an analyser that merely extracts strings from a file using the standard linux 'strings' command (which returns the strings of printable characters in a file), and matches these against the text content of the email, is sufficient to detect most mass mailing viruses currently in existence.

Of course, the more complex the analyser/matcher 106 is, the better the detection rate will be. For instance, cryptographic routines can be added to detect encoded email text, as used by the W32/Klez.H virus. Code analysing routines can be added to search for email specific routines, and work out how any email is created, and so on.

The exception checker 107 contains rules to filter out false positives that have occurred in the past. For instance, if someone uses the Eudora email client to mail a copy of Eudora to a friend, the fingerprints will match the attachment causing the email to be treated as viral. This can be overcome by for instance, creating an MD5 checksum of the attachment, and comparing to a list of known MD5 checksums for standard mail clients; the exception checker can then recognise these known email clients and ignore them. MD5 is an example of a checksum or hashing method sensitive enough to detect whether even a single bit in the data from which the checksum is derived has been changed.

As noted above, the system 100 can be used as a stand-alone virus detection algorithm, or combined with others implementing other virus-detection techniques as part of a larger system. For instance, files flagged as mass mailing viruses by this method may be allocated a certain score, or variety of scores depending which tests pass and fail. File  
5 which score some matches, but not enough for the matcher to flag as a mass mailing virus may be assigned a lower score.

These are then combined with scores from other heuristic techniques, and only if the total score passes some limit is the file flagged as viral.

Code analysis can also be used by the analyser/matcher 106. For instance,  
10 the MIME headers in a mail will be present in a certain order, and if it can be ascertained by code analysis that the attachment creates emails with the MIME headers in that exact order, then this is a very good sign that the attachment created the email. A simple implementation can be achieved by finding references in the code to the data areas used to construct the email, and then noting the order in which these references occur.

15 Virus writers often encode parts of the data area of their programs in order to try and hide what they are doing. Attempts can be made in various ways to match parts of the email to data which is encrypted in the attachment. For instance, if the email contains the text:

```
we seem to sew  
20 this might be encoded as  
er drrz yp dre  
First we number the string  
12345678901234  
we seem to sew
```

25 Then we note that the letter 'w' in the original occurs in the 1st and 14th positions in the original. We also note the letter 'e' in the potential encoded string also occurs in the 1st and 14th positions, and in no other position.

Next we note that the letter 'e' in the original occurs in the 2nd, 5th, 6th and 13th position in the original. We also note the letter 'r' in the potential encoded string also  
30 occurs in the 2nd, 5th, 6th and 13th positions, and in no other position.

Thus, the potential encoded string so far seems to be the same as the original string, but with the letter 'e' replacing the letter 'w' and letter 'r' replacing the letter 'e'. If we can repeat this test successfully for each different character in the original string, then it is highly likely that the second string really is an encoded version of the original string.



The analyser/matcher 106 may be arranged to execute algorithms such as the one just described in order to find evidence that the attachment could have created structural elements of the email.

---

## CLAIMS

1. A method of anti-virus processing an email having an executable attachment comprising the steps, executed by a machine, of:

- 5                   a) extracting structural elements from the email;
- b) examining the executable attachments for code, data or encoded data that could have created the structural elements extracted earlier; and
- c) signalling that the attachment is possibly viral or not on the basis of the extent to which the examining step b) finds evidence that the structural elements have been created by that attachment.

10           2. A method according to claim 1, wherein the structural elements are categorised and the step c) includes assigning a numeric score for each element which could have been created by that attachment, and signalling that the attachment is possibly viral or not on the basis of an overall score.

15           3. A method according to claim 2, wherein the scores are weighted according to category.

4. A method according to any one of the preceding claims, wherein the signalling step c) takes account of factors including any or all of the following attributes of the email:

- 20           standard MIME headers;
- unusual MIME headers;
- deviations from RFC standards;
- unusual constructs;
- number of attachments;
- type of attachments;
- 25           encoding method used for attachments;
- text content of the email; and
- HTML or XHTML content of the email.

5. A method according to any one of claims 1 to 4 wherein the step a) includes extracting the structural elements as strings, the step b) includes examining the attachments

for matches of those strings and the step c) signals the attachment as possibly viral or not on the basis of the extent to which the examining step b) finds occurrences of the strings in the attachment.

6. A system for anti-virus processing an email having an executable

5 ~~attachment comprising the following means, implemented by a machine:~~

a) means for extracting structural elements from the email;

b) means for examining the executable attachments for code, data or encoded data that could have created the structural elements extracted earlier; and

10 c) means for signalling that the attachment is possibly viral or not on the basis of the extent to which the examining step b) finds evidence that the structural elements have been created by that attachment.

7. A system according to claim 6, wherein the structural elements are categorised and the means c) includes means for assigning a numeric score for each element which could have been created by that attachment, and signalling that the

15 attachment is possibly viral or not on the basis of an overall score.

8. A system according to claim 7, wherein the scores are weighted according to category.

9. A system according to any one of claims 6 to 8, wherein the signalling step c) takes account of factors including any or all of the following attributes of the email:

20 standard MIME headers;  
unusual MIME headers;  
deviations from RFC standards;  
unusual constructs;  
number of attachments;  
25 type of attachments;  
encoding method used for attachments;  
text content of the email; and  
HTML or XHTML content of the email.

10. A system according to any one of claims 6 to 9 wherein the means a) includes extracting the structural elements as strings, the means b) includes examining the attachments for matches of those strings and the means c) signals the attachment as possibly viral or not on the basis of the extent to which the examining means b) finds  
5 occurrences of the strings in the attachment.

11. A method of anti-virus processing an email having an executable attachment substantially as hereinbefore described and with reference to the accompanying drawings claim.

12. A system for anti-virus processing an email having an executable  
10 attachment substantially as hereinbefore described and with reference to the accompanying drawing.

## ABSTRACT

A system for anti-virus processing an email having an executable attachment extracts structural elements of the email and examines the executable attachments for code, data or encoded data that could have created these elements. This is effective to detect at least some mass mailing viruses where the executable attachment creates later generations of the attachment and structural elements such as strings which appear in the later emails are present in the attachment.




Fig.1

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**